

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 3883 | (707/3,103R).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 10:23 |
| 2 | 1137 | (709/316,231).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 10:23 |
| 3 | 903 | (717/100-108).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 10:24 |
| 4 | 947 | ((717/114-116) or (717/174-178)).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 10:24 |
| - | 298 | (pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:26 |
| - | 66 | ((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/16 16:10 |
| - | 121 | ((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 09:55 |
| - | 29 | (((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 08:51 |
| - | 9 | (((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$ | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/16 16:20 |
| - | 16 | (((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))) not ((((((pack\$5 near3 object) and (delivery or distribution) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) and (tag\$4 adj2 (id or header or content or data))) or (((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212))) and ((convert\$4 near4 binary) or (tag adj2 identifier))) and 717/\$) and ((pack\$4 or unpack\$4) near5 object) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/16 16:20 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 146 | ((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 09:54 |
| - | 113 | ((((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 09:54 |
| - | 121 | ((pack\$4 or unpack\$4) near8 (tagged near4 data)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 09:55 |
| - | 43 | (((((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 09:56 |
| - | 43 | (((((serializ\$5 or stream\$4) near4 (class or (pack\$4 adj3 object))).ab.) and (@ad<=20001212 or @rlad<=20001212)) and ((pack\$4 or unpack\$4))) not Accenture.as. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 11:32 |
| - | 3 | Merk.in. and serializ\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:33 |
| - | 3 | 6292933.URPN. | USPAT | 2003/10/17 14:26 |
| - | 2 | JDOM and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:56 |
| - | 0 | 20020143941.URPN. | USPAT | 2003/10/17 16:35 |
| - | 67 | "distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:36 |
| - | 28 | (pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:42 |
| - | 24 | ((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)) and (tagged near3 (object or data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:44 |
| - | 29 | ORB and (tagged near3 (object or data)) and (encapsulat\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:45 |
| - | 5 | (ORB and (tagged near3 (object or data)) and (encapsulat\$4)) not ((pack\$5 near3 object) and ("distributed object" and ((complex adj2 object) and list) and (object near3 type) and (pack\$5 or unpack\$5)) and (@ad<=20001212 or @rlad<=20001212)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/17 16:45 |
| - | 86 | moniker and encapsulat\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 08:50 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 19 | (moniker and encapsulat\$4) and ((object) same (tag\$4)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:07 |
| - | 18 | (stub) and (tagged near3 (id or identifier)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:08 |
| - | 76 | (stub) and (marshall\$4 same unmarshall\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:10 |
| - | 159 | (stub) and (marshal\$4 same unmarshal\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:10 |
| - | 12 | (moniker and encapsulat\$4) and ((stub) and (marshal\$4 same unmarshal\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:10 |
| - | 77 | (pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:11 |
| - | 55 | ((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:07 |
| - | 298 | ((complex and simple) or list) adj2 object) and (tag\$4 near4 data) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:14 |
| - | 276 | ((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:14 |
| - | 13 | ((pack\$5 near3 object) and (tag\$5 near3 data) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.) and (((complex and simple) or list) adj2 object) and (tag\$4 near4 data)) not Accenture.as.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 09:14 |
| - | 75 | 5907704.URPN. | USPAT | 2003/10/20 15:06 |
| - | 6 | ("5287447" "5423041" "5487141" "5493680" "5499333" "5680619").PN. | USPAT | 2003/10/20 09:39 |
| - | 5 | ("5287447" "5423041" "5493680" "5499333" "5499371").PN. | USPAT | 2003/10/20 09:42 |
| - | 13 | ("5519867" "5692180" "5907704" "5915253" "5951649" "5995753" "6032151" "6041347" "6052528" "6173289" "6249820" "6278995" "6321259").PN. | USPAT | 2003/10/20 09:55 |
| - | 75 | 5907704.URPN. | USPAT | 2003/10/20 15:06 |
| - | 701 | ((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:07 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 3 | 5907704.URPN. and (((pack\$5 near3 object) and (unpack\$5) and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:22 |
| - | 168 | (encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:55 |
| - | 695 | (tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:28 |
| - | 69 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 15:45 |
| - | 34 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:34 |
| - | 12 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((tag\$5 near3 (data or element)) and (pack\$4 and encapsulat\$4) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)) not Accenture.in. and (@ad<=20001212 or @rlad<=20001212)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:28 |
| - | 37 | ((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:33 |
| - | 8 | ((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:40 |
| - | 29 | ((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not (((pack\$6 or compact\$5 or build\$4 or assembl\$4 or generat\$4) near4 ((Java or class\$2 or object\$2) adj2 (package or bundle or archive))) and (unzip\$5 or unpack\$6 or unbundl\$4) and (tag\$4 near3 (value or data or head or id or identifier or content))) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/20 16:40 |

| | | | | |
|---|-----|--|---|---------------------|
| - | 169 | (encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:55 |
| - | 84 | (Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:58 |
| - | 45 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 09:58 |
| - | 22 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:42 |
| - | 2 | 6226692.URPN. | USPAT | 2003/10/21 10:08 |
| - | 5 | ("5295242" "5481715" "5692183" "5751962" "5848419").PN. | USPAT | 2003/10/21 10:10 |
| - | 1 | (transmi\$6 near4 ((packed or compacted or zipped or packaged) adj2 (container or object or bundle))) and API | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:42 |
| - | 23 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:14 |
| - | 36 | ((architecture or platform) near2 independent) near2 (container or package) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:57 |
| - | 1 | ((architecture or platform) near2 independent) near2 (container or package))) and API and (header and (transmitted or transmission or sent or received)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:57 |
| - | 1 | ((architecture or platform) near2 independent) near2 (container or package))) and (tag\$3 near3 data) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 10:58 |

| | | | | |
|---|------|---|---|---------------------|
| - | 3 | (((((architecture or platform) near2 independent) near2 (container or package))) and (header and (transmitted or transmission or sent or received))) or (((((architecture or platform) near2 independent) near2 (container or package))) and (tag\$3 near3 data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:08 |
| - | 2756 | Brown.in. and container | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:12 |
| - | 12 | (Brown.in. and container) and ((platform or architecture) near2 independent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:56 |
| - | 3 | ((Brown.in. and container) and ((platform or architecture) near2 independent)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:56 |
| - | 2 | (((((architecture or platform) near2 independent) near2 (container or package))) and (header and (transmitted or transmission or sent or received)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:59 |
| - | 756 | (packaging near3 (object or class)).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:55 |
| - | 614 | ((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:56 |
| - | 4 | ((((packaging near3 (object or class)).ti.) and (@ad<=20001212 or @rlad<=20001212)) and ((platform or architecture) near2 independent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 11:56 |
| - | 1012 | ((pack\$6 near5 (object or class or content or media)).ab. and distribution) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:10 |
| - | 4 | (((pack\$6 near5 (object or class or content or media)).ab. and distribution)) and (object near3 type) and (pack\$4 and unpack\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:12 |
| - | 4 | (transmission near3 ((Java or beans or media) near2 package)).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:14 |

| | | | | |
|---|----|---|---|---------------------|
| - | 23 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/22 08:33 |
| - | 1 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212)) and "fixed format".ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:18 |
| - | 1 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212)) and "piecemeal".ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 14:20 |
| - | 1 | Merk.in. and package and transmission | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/21 15:50 |

| | | | | |
|---|----|--|---|---------------------|
| - | 23 | ((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not (((encapsulat\$4 or (pack\$5 or unpack\$5)) and ((complex and list) adj3 object) and (object near3 (type and location or identifier or id))) and ((Java or "distributed object") and ((complex adj2 object) and (pack\$5 or unpack\$5)) and (object near3 type) and encapsulat\$5)) not Accenture.as. and (@ad<=20001212 or @rlad<=20001212)) and (@ad<=20001212 or @rlad<=20001212) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/22 08:34 |
| - | 2 | ((US-6477580-\$ or US-6438559-\$ or US-6292933-\$ or US-6253256-\$ or US-6066181-\$ or US-6006280-\$ or US-5907704-\$ or US-6446078-\$ or US-6427230-\$ or US-6415280-\$ or US-6405364-\$ or US-5680619-\$ or US-6173289-\$ or US-6052528-\$ or US-6226692-\$ or US-5724575-\$ or US-6560639-\$).did. or (US-20010020243-\$ or US-20020073080-\$ or US-20020049788-\$ or US-20020065872-\$ or US-20030005411-\$).did. or (EP-1071219-\$).did. or (EP-913769-\$).did.) and (language near2 independent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/22 11:50 |
| - | 8 | (" ntohs" or " hton") and "C language" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 08:56 |
| - | 0 | (" ntohs" or " hton") and "Java language" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 08:57 |
| - | 4 | (" ntohs" or " hton") and "Java" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/23 10:20 |